

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	33	(US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$ or US-20090132995-\$ or US-20080155497-\$ or US-20040205706-\$ or US-20040205696-\$ or US-20030172369-\$ or US-20030167455-\$ or US-20030135842-\$ or US-20020100014-\$ or US-20050010898-\$ or US-20040181777-\$ or US-20030177501-\$). did. or (US-7257620-\$ or US-5228100-\$ or US-7152229-\$ or US-4692896-\$ or US-5819074-\$ or US-5878262-\$ or US-5937188-\$ or US-6934532-\$ or US-6851106-\$ or US-7389492-\$ or US-7313785-\$ or US-7278130-\$ or US-7137100-\$ or US-6681383-\$ or US-4992971-\$). did. or (JP-60069781-\$). did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/11/03 11:19
L2	4	L1 and (paramete\$2 same group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/03 11:20
L3	2	"6681386".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/03 14:23

L4	0	TW-533377	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/03 14:25
L5	2	"7016864".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/03 14:50
S1	2	"20070168912"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 10:06
S2	5243	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((compil\$3 near4 (program or source or code or application)) same (execut\$4 or run \$4)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:26
S3	229	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((compil\$3 near4 (program or source or code or application)) same (execut\$4 or run \$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:27

S4	116	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:28
S5	0	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and (check\$3 same ((data or program) near3 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:30
S6	0	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:30

		((process or function)) and (check\$3 same ((data or program near5 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")				
S7	32	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif \$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run \$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((data or program near5 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:31
S8	0	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif \$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run \$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((data or program or code) near5 size) and ((terminal or mobile) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:32

S9	32	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((data or program or code) near5 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:32
S10	0	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((check\$3 or verify\$3 or examin\$3) near4 ((data or program or code) near5 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:33

S11	0	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((check\$3 or verify\$3 or examin\$3) same ((data or program or code) near5 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:34
S12	33	((paramete\$2 or input) same ((creat\$3 or generat\$3 or regenerat\$3 or develop\$5) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((data or program or code) near5 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:35
S13	1	S12 and ((mobile or remote) near4 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:38
S14	220528	S12 and ((mobile or remote) near4 device) or (PDA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:38

S15	11	S12 and (((mobile or remote) near4 device) or (PDA))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:39
S16	68	((((program or source or code) near4 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4)) same ((base or basis) near4 (paramete\$2 or input))) and (compil\$3 near5 (program or source or code)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 16:43
S17	2	((((program or source or code) near4 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4)) same ((base or basis) near4 (paramete\$2 or input))) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 16:45
S18	6	((((program or source or code) near4 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4)) same ((base or basis) near4 (paramete\$2 or input))) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 16:45

S19	737	((program or source or code) near5 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 22:47
S20	804	((program or source or code) near3 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 22:48
S21	9	((program or source or code) near3 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (((investigat\$3 or check\$3 or examin\$3) near3 (program or data or code) near3 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 22:50

S22	165	((program or source or code) near3 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near3 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:01
S23	196	((program or source or code) near3 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near4 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:01
S24	237	((program or source or code) near3 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:01

		source or code) near7 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")				
S25	100	((program or source or code) near3 (generat \$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)).AB. and ((program or code or data or application) near4 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:02
S26	0	((program or source or code) near5 (generat \$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)).AB. and ((program or code or data or application) near4 size) and "accepting unit" and (@ad < "20030820" or @prad < "20030820" or @rlad	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:04

		< "20030820")				
S27	0	((program or source or code) near5 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and "accepting unit" and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:04
S28	1	((program or source or code) near3 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and "accepting unit" and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:05
S29	1	((program or source or code) near6 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and "accepting unit" and (@ad <	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:07

		"20030820" or @prad < "20030820" or @rlad < "20030820")				
S30	4	((program or source or code) near6 (generat \$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and "accepting unit" and (@ad < "20060824" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:10
S31	1858	((program or source or code) near6 (generat \$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3) and ((portable or mobile or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 00:37
S32	778	((program or source or code) near6 (generat \$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((portable or mobile or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 00:38

S33	185	((program or source or code) near5 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((portable or mobile or terminal) near3 device) and ((program or source or code) near5 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 00:38
S34	4	((program or source or code) near5 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same ((base or basis or depend\$3) near4 paramete\$2)) and (compil\$3 near4 (program or code or source)) and ((portable or mobile or terminal) near3 device) and ((program or source or code) near5 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 00:40
S35	2	"20030149958"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:36
S36	2	"20010046862"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:39

S37	2	"6934532".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:40
S38	2	"7257620".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:40
S39	2	"6851106".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:41
S40	2	"7152229".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:41
S41	16	(US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$). did. or (US-7257620-\$ or US-5228100-\$ or US- 7152229-\$ or US- 4692896-\$ or US- 5819074-\$ or US- 5878262-\$ or US- 5937188-\$ or US- 6934532-\$ or US- 6851106-\$).did. or (JP- 60069781-\$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/10/29 16:48
S42	7	S41 and (reduc\$5 same size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:48
S43	7	S41 and ((reduc\$5 or decreas\$3 or cut\$4) same size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:52
S44	8	S41 and ((reduc\$5 or decreas\$3 or cut\$4 or monitor\$3 or warn\$4) same size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:53

S45	16	(US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$). did. or (US-7257620-\$ or US-5228100-\$ or US-7152229-\$ or US-4692896-\$ or US-5819074-\$ or US-5878262-\$ or US-5937188-\$ or US-6934532-\$ or US-6851106-\$).did. or (JP-60069781-\$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/10/29 16:57
S46	10	S45 and (size same (monitor\$3 or reduc\$4 or cut\$4 or decreas\$3 or warn\$3 or notif\$5 or chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:59
S47	3	S45 and ((size same (paramete\$2 or input)) same (limit\$3 or notif\$5 or warn\$4 or aler\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 17:09
S48	6361	((paramete\$2 or input) same ((creat\$3 or generat\$3 or produc\$3 or regenerat\$3) near5 (program or code or application or source))) and (compil\$3 near4 (program or source or code or application)) and ((data or program or code) same size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/30 12:48
S49	203	((bas\$2 or basis) near6 ((paramete\$2 or input) same ((creat\$3 or generat\$3 or produc\$3 or regenerat\$3) near5 (program or code or application or source)))) and (compil\$3 near4 (program or source or code or application)) and ((data or program or code) same size) and	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/30 12:50

		(@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")				
S50	97	((bas\$2 or basis) near6 ((paramete\$2 or input) same ((creat\$3 or generat\$3 or produc\$3 or regenerat\$3) near5 (program or code or application or source)))) and (compil \$3 near4 (program or source or code or application)) and ((data or program or code)near3 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/30 12:51
S51	90	((bas\$2 or basis) near6 ((paramete\$2 or input) same ((creat\$3 or generat\$3 or produc\$3 or regenerat\$3) near5 (program or code or application or source)))) and (compil \$3 near4 (program or source or code or application)) and ((data or program or code) near2 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/30 12:52
S52	29	(US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$ or US-20090132995-\$ or US-20080155497-\$ or US-20040205706-\$ or US-20040205696-\$ or US-20030172369-\$ or US-20030167455-\$ or US-20030135842-\$ or US-20020100014-\$). did. or (US-7257620-\$ or US-5228100-\$ or US-7152229-\$ or US-	US-PGPUB; USPAT; JPO	OR	OFF	2009/11/01 22:48

		4692896-\$ or US- 5819074-\$ or US- 5878262-\$ or US- 5937188-\$ or US- 6934532-\$ or US- 6851106-\$ or US- 7389492-\$ or US- 7313785-\$ or US- 7278130-\$ or US- 7137100-\$ or US- 6681383-\$).did. or (JP- 60069781-\$).did.				
S53	5	S52 and (((limit\$3 or eliminat\$3 or reduc\$3) near4 size) same (inpu \$2 or paramete\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/01 22:48
S54	3	S52 and (((input or user) near3 interface) same paramete\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 01:05
S55	3	S52 and (((input or user or graphical) near7 interface) same paramete\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 01:08
S56	17	S52 and (((input or user or graphical) near7 interface) same ((generat\$4 or produc \$4 or regenerat\$4) near5 (program or code or software)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 01:09
S57	18	S52 and (((input or user or graphical) near7 interface) same ((generat\$4 or produc \$4 or regenerat\$4 or creat\$3) near5 (program or code or software)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 01:10
S58	2	S52 and ((check\$3 or compar\$3) same (number near6 (input or parameter\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:20
S59	2	S52 and ((check\$3 or compar\$3 or determin \$3) same (number near6 (inpu\$2 or parameter\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:21

S60	2974	((program or source or code) near6 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and ((compar\$4 or check\$3 or determin\$3) near4 (number near4 (inpu\$2 or paramete\$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:23
S61	313	((program or source or code) near6 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar\$4 or check\$3 or determin\$3) near4 (number near4 (inpu\$2 or paramete\$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:26
S62	267	((program or source or code) near6 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar\$4 or check\$3 or determin\$3) near4 (number near2 (inpu\$2 or paramete\$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:26

S63	61	((program or source or code) near6 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar\$4 or check\$3) near4 (number near2 (inpu\$2 or paramete\$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:29
S64	42	((program or source or code) near6 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar\$4 or check\$3) near4 (number near2 (paramete\$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:30
S65	2	"6928579".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:57
S66	32	(US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$ or US-20090132995-\$ or US-20080155497-\$ or US-20040205706-\$ or US-20040205696-\$ or US-20030172369-\$ or US-20030167455-\$ or US-20030135842-\$ or US-20020100014-\$ or US-20050010898-\$ or US-20040181777-\$). did. or (US-7257620-\$ or US-5228100-\$ or US-	US-PGPUB; USPAT; JPO	OR	OFF	2009/11/02 11:32

		7152229-\$ or US- 4692896-\$ or US- 5819074-\$ or US- 5878262-\$ or US- 5937188-\$ or US- 6934532-\$ or US- 6851106-\$ or US- 7389492-\$ or US- 7313785-\$ or US- 7278130-\$ or US- 7137100-\$ or US- 6681383-\$ or US- 4992971-\$).did. or (JP- 60069781-\$).did.				
S67	7	S66 and (photograph \$3 or film\$3 or camera)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 11:33
S68	19	S66 and (photograph \$3 or film\$3 or camera imag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:24
S69	19	S66 and (photograph \$3 or film\$3 or camera or imag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:44
S70	25	S66 and (photograph \$3 or film\$3 or camera or imag\$3 or graphic \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:44
S71	1	((program or source or code) near6 (generat \$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar \$4 or check\$3) near4 (number near2 (paramete\$2))) and photograph\$3 and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:52

S72	1	((program or source or code) near6 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar\$4 or check\$3) near4 (number near2 (paramete\$2))) and (photograph\$3 or film\$3) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:53
S73	7	((program or source or code) near6 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar\$4 or check\$3) near4 (number near2 (inpu\$2 or paramete\$2))) and (photograph\$3 or film\$3) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:55
S74	32	(US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$ or US-20090132995-\$ or US-20080155497-\$ or US-20040205706-\$ or US-20040205696-\$ or US-20030172369-\$ or US-20030167455-\$ or US-20030135842-\$ or US-20020100014-\$ or US-20050010898-\$ or US-20040181777-\$). did. or (US-7257620-\$ or US-5228100-\$ or US-7152229-\$ or US-4692896-\$ or US-5819074-\$ or US-	US-PGPUB; USPAT; JPO	OR	OFF	2009/11/02 13:32

		5878262-\$ or US- 5937188-\$ or US- 6934532-\$ or US- 6851106-\$ or US- 7389492-\$ or US- 7313785-\$ or US- 7278130-\$ or US- 7137100-\$ or US- 6681383-\$ or US- 4992971-\$).did. or (JP- 60069781-\$).did.				
S75	18	S74 and (position\$3 or "gps")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 13:33
S76	18	S74 and (position\$3 or "gps" or navigation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 13:35
S77	28	S74 and (display or "user interface" or "graphical")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 13:45
S78	28	S74 and (display or (user near3 interface) or "graphical" or "hci")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 13:51
S79	14	S74 and ((search\$3 or research\$3) near4 (data or information or content or item))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 14:25
S80	6	S74 and (universal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 14:34
S81	7	S74 and (universal\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 14:37
S82	11	S74 and ((universal\$3 or common\$2) near3 us \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 14:37

S83	5	S74 and ((universal\$3 or common\$2) near3 us \$3) and characte\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 15:25
S84	24	takashima-norikazu.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 17:46
S85	4	S84 and (accept\$3 near3 unit) and (produc \$3 near3 unit) and (compil\$3 near2 unit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 17:47
S86	8	oikawa-ayumu.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 17:53
S87	4	S86 and (accept\$3 near3 unit) and (produc \$3 near3 unit) and (compil\$3 near2 unit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 17:53
S88	32	(US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$ or US-20090132995-\$ or US-20080155497-\$ or US-20040205706-\$ or US-20040205696-\$ or US-20030172369-\$ or US-20030167455-\$ or US-20030135842-\$ or US-20020100014-\$ or US-20050010898-\$ or US-20040181777-\$). did. or (US-7257620-\$ or US-5228100-\$ or US-7152229-\$ or US-4692896-\$ or US-5819074-\$ or US-5878262-\$ or US-5937188-\$ or US-6934532-\$ or US-6851106-\$ or US-7389492-\$ or US-7313785-\$ or US-7278130-\$ or US-7137100-\$ or US-	US-PGPUB; USPAT; JPO	OR	OFF	2009/11/02 19:25

		6681383-\$ or US-4992971-\$).did. or (JP-60069781-\$).did.				
S89	8	S88 and (log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 19:26
S90	25	S88 and (log or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 19:28
S91	7	S88 and (log and screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 19:28
S92	2	S88 and acquir\$3 and (display or log) and ((accept\$3 or receiv\$3) near4 paramete\$2) and (transmit\$4 or transferr\$4 or (output near4 paramete\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 20:11
S93	8	S88 and acquir\$3 and (display or log) and (transmit\$4 or transferr\$4 or (output near4 paramete\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 20:12
S94	7	S93 and acquir\$3 and (display or log) and (transmit\$4 or transferr\$4 or (output near4 paramete\$2)) and ((program or code or source) near4 (produc\$4 or generat\$3 or creat\$4 or regenerat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 21:44
S95	8505	acquir\$3 and (display or log) and (transmit\$4 or transferr\$4 or (output near4 paramete\$2)) and ((program or code or source) near4 (produc\$4 or generat\$3 or creat\$4 or regenerat\$3)) and (paramete\$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 21:53

S96	1544	((acquir\$3 same (screen or display or window)) same (data or information)) and (display or log) and (transmit\$4 or transferr\$4 or (output near4 paramete\$2)) and ((program or code or source) near4 (produc\$4 or generat\$3 or creat\$4 or regenerat\$3)) and (paramete\$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 21:54
S97	1017	((acquir\$3 same (screen or display or window)) same (data or information)) and (display or log) and ((accept\$4 or receiv\$3) near4 (input or paramete2)) and (transmit\$4 or transferr\$4 or (output near4 paramete\$2)) and ((program or code or source) near4 (produc\$4 or generat\$3 or creat\$4 or regenerat\$3)) and (paramete\$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 21:55
S98	568	((acquir\$3 same (screen or display or window)) same (data or information)) and (display or log) and ((accept\$4 or receiv\$3) near4 (input or paramete2)) and ((transmit\$4 or transferr\$4 or (output near4 paramete\$2)) same network) and ((program or code or source) near4 (produc\$4 or generat\$3 or creat\$4 or regenerat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 21:57

		(\$3)) and (paramete\$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")				
S99	565	((acquir\$3 same (screen or display or window)) same (data or information)) and (display or log) and ((accept\$4 or receiv\$3) near4 (input or paramete2)) and ((transmit\$4 or transferr\$4 or (output near4 paramete\$2)) same network) and ((program or code or source) near4 (produc \$4 or generat\$3 or creat\$4)) and (paramete\$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 21:57
S100	565	((acquir\$3 same (screen or display)) same (data or information)) and (display or log) and ((accept\$4 or receiv\$3) near4 (input or paramete2)) and ((transmit\$4 or transferr\$4 or (output near4 paramete\$2)) same network) and ((program or code or source) near4 (produc \$4 or generat\$3 or creat\$4)) and (paramete\$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 22:07

S101	259	(acquir\$3 same ((screen or display) near5 (data or information))) and (display or log) and ((accept\$4 or receiv\$3) near4 (input or paramete2)) and (((transmit\$4 or transferr\$4 or (output near4 paramete\$2)) same network) and ((program or code or source) near4 (produc\$4 or generat\$3 or creat\$4)) and (paramete\$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 22:08
S102	42	(acquir\$3 same ((screen or display) near5 (data or information))) and (display or log) and ((accept\$4 or receiv\$3) near4 (input or paramete2)) and (((transmit\$4 or transferr\$4) near4 (program or code or source)) same network) and ((program or code or source) near4 (produc\$4 or generat\$3 or creat\$4)) and (paramete\$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 22:09

S103	33	(US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$ or US-20090132995-\$ or US-20080155497-\$ or US-20040205706-\$ or US-20040205696-\$ or US-20030172369-\$ or US-20030167455-\$ or US-20030135842-\$ or US-20020100014-\$ or US-20050010898-\$ or US-20040181777-\$ or US-20030177501-\$). did. or (US-7257620-\$ or US-5228100-\$ or US- 7152229-\$ or US- 4692896-\$ or US- 5819074-\$ or US- 5878262-\$ or US- 5937188-\$ or US- 6934532-\$ or US- 6851106-\$ or US- 7389492-\$ or US- 7313785-\$ or US- 7278130-\$ or US- 7137100-\$ or US- 6681383-\$ or US- 4992971-\$).did. or (JP- 60069781-\$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/11/02 22:54
S104	31	S103 and ((acquir\$3 or obtain\$3 or stor\$3) near3 (data or information or log))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/03 00:25
S105	21	S103 and ((acquir\$3 or obtain\$3 or stor\$3) near3 (data or information or log)) and ((transfer\$3 or transmit\$3) near4 (data of information or log))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/03 00:26

11/ 3/ 09 3:10:57 PM

C:\ Documents and Settings\ cchow\ My Documents\ EAST\ Workspaces\ 10568504new.wsp